

What is claimed is

1. A method of operating a portable wireless communication device operable to access a remote source of information, and capable of viewing information encoded in a first format, comprising the steps of:

receiving information from the remote source;

selecting an item of information;

transmitting to the remote source, a request for an address associated with the selected item of information, said address corresponding to a source of further information on the selected item and said further information being encoded in a second format;

receiving from the remote source the address in response to the request; and

transmitting the received address to another device capable of viewing information in the second format.

2. A method as claimed in claim 1 wherein the wireless communication device is operable according to the Wireless Application Protocol (WAP) communication standard.

3. A method as claimed in claim 2 wherein the received information is encoded using Wireless Markup Language (WML).

4. A method as claimed in claim 1 wherein the wireless communication device is operable according to the i-mode standard.

5. A method as claimed in claim 1, wherein the selection of an item on the received page of information is achieved using at least one key on a keypad.

09585979.110704

6. A method as claimed in claim 1, wherein the address is a Uniform Resource Locator (URL).
7. A method as claimed in claim 1, wherein the address corresponds to a source of information encoded using Hyper Text Markup Language (HTML).
8. A method as claimed in claim 1, wherein the address is accompanied by other data.
9. A method as claimed in claim 1, wherein the step of transmitting the request and the step of transmitting the address each use a different transmitter.
10. A method as claimed in claim 9 wherein the step of transmitting the address is achieved using one of a wired connection, an Infra-Red (IrDA) connection or a low-powered radio connection, such as BlueTooth.
11. A method of operating a portable wireless communication device operable to access a remote source of information, comprising the steps of:
  - receiving information from the remote source at a first address;
  - selecting an item of received information; and
  - requesting information from one of two addresses associated with the selected item.
12. A method as claimed in claim 11 wherein one of the addresses is encoded in the received information.
13. A portable wireless communication device operable to access a remote source of information, comprising:

0985979-140704

a receiver for receiving information from the remote source at a first address;

means for selecting an item of information; and

means for requesting information from one of two addresses associated with the selected item.

14. A portable wireless communication device operable to access a remote source of information, and capable of viewing information encoded in a first format comprising:

a receiver for receiving information from the remote source;

means for selecting an item of information;

a transmitter for transmitting to the remote source, a request for an address associated with the selected item of information, said address corresponding to a source of further information on the selected item and said further information being encoded in a second format;

a receiver for receiving from the remote source the address in response to the request; and

a transmitter for transmitting the received address to another device capable of viewing information in the second format.

15. A portable wireless communication device as claimed in claim 13 wherein the device is operable according to the Wireless Application Protocol (WAP) Communication standard.

16. A portable wireless communication device as claimed in claim 14 wherein the device comprises two transmitters.

17. A portable communication device as claimed in claim 16 wherein a transmitter is operable to communicate with a wireless communication network.

09985979-110701

18. A portable communication device as claimed in claim 16 wherein a transmitter is operable to communicate with another local device.

19. A method of operating a wireless communication network operable to communicate with a portable wireless communication device, comprising the steps of:

- storing items of information;

- associating with each item of stored information, a respective address for retrieving additional information;

- transmitting to the wireless communication device, information comprising an item selected from the stored items of information;

- receiving from the wireless communication device, a request for further information on a selected item of information; and

- transmitting to the device, in response to the request, the address for retrieving additional information associated with the selected item.

20. A method as claimed in claim 19 wherein the first step of transmitting to the wireless communication device is performed in response to a request.

21. A wireless communication network operable to communicate with a portable wireless communication device comprising:

- a store for storing items of information;

- means for associating with each item of stored information, a respective address for retrieving additional information;

- a transmitter for transmitting to the wireless communication device, information comprising an item selected from the stored items of information;

- a receiver for receiving from the wireless communication device, a request for further information on a selected item of information; and

- a transmitter for transmitting to the device, in response to the request, the address for retrieving additional information associated with the selected item.

22. A method of operating a system comprising a wireless communication network and a plurality of portable wireless communication devices, comprising the steps of:

the network transmitting information to a portable device;

the portable device transmitting, to the network, a request for an address from which more information, related to a selected received item of information, may be obtained;

the network retrieving the address from a data store in response to the request;

the network transmitting the address to the portable device; and

the portable device storing the address for future transmission to another device.

23. A method as claimed in claim 22 wherein the network and portable device are operable according to the Wireless Application Protocol (WAP) communication standard.

24. A method as claimed in claim 23 wherein the data store is a WAP server.

25. A portable wireless communication device as claimed in claim 14 wherein the device is operable according to the Wireless Application Protocol (WAP) Communication standard.

09985979.110701